


LEAF HOPS (BALES OR VACUUM PACKS)

OVERVIEW

Leaf Hops are naturally grown and dried hop cones. The content of oils, resins (alpha and beta acids) and polyphenols is important for the brewing process. These substances contribute to the overall flavor, required level of bitterness and hop aroma of beer.

Leaf Hops can be used on both the hot side (kettle hopping) and the cold side (dry hopping) of the brewing process.

Baled Leaf Hops cannot be stored indefinitely and cold storage is highly recommended. **Leaf Hops** are also available in **vacuum packs** which greatly improve storage stability.



SPECIFICATIONS

Short description	dried and compressed hop cones
Alpha acids	1 - 25 %
Beta acids	1 - 24 %
Hop oils	0.2 - 4.5 ml/100 g
Moisture content	6 - 11 %

PROPERTIES

APPEARANCE

Greenish hop cones in an oval or roundish shape (depending on variety). Bale-packed Leaf Hops is present as pressed hop cones and has only a small proportion of leaves and stems.

FLAVOR

Leaf Hops provide bitterness and aroma to the beer. The flavor depends on the variety, quantity and time of addition. For further information, please refer to the hop variety data sheets.

UTILIZATION

Given as an early kettle addition (up to 15 min after the boil begins), hop utilization normally falls within a range of 22 - 28 %. When Leaf Hops are added late in the boil, utilization is lower and is dependent on individual process conditions. Both additions can vary depending on the desired intensity and the beer style.

QUALITY

All Hopsteiner® products are processed in facilities which fulfill internationally recognized quality standards. A monitoring system for residues is in place.

PACKAGING

Our products are delivered in their respective recommended standard packaging. Alternatives may be possible upon customer request.

Standard packages of our processing plants in the USA (US) and Germany (DE) are:

- pressed into rectangular bales (ca. 60 kg DE / ca. 50 lbs US)
- ca. 5 kg vacupack in 5-layer aluminum foil (350 x 300 x 80 mm) (DE)

USAGE

DOSAGE

The quantity of Leaf Hops in an addition can be calculated using the alpha acid content and an estimated or known utilization. Late kettle additions of Leaf Hops (typically 5 - 20 min prior to the end of the boil) reduce alpha acid utilization but increase hop aroma and flavor.

APPLICATION

For primary bittering or late kettle hopping, Leaf Hops can be added directly to the wort kettle or hop dosing vessel. Dry hopping normally involves the addition of Leaf Hops during secondary fermentation or maturation using various techniques.

STORAGE

The recommended storage temperature in the original unopened packaging is < 5 °C (41 °F).

Leaf Hops should be stored in a dry, dark place at low temperatures. Wet bales are subject to degradation. Precautions must be taken to prevent the self-ignition of baled hops.

BEST BEFORE DATE

Under the recommended storage conditions, the shelf life from the date of production/ packaging is at least 3 years (vacuum-packed).

Baled Leaf Hops should be used within one year of harvesting. During storage, losses of alpha acids will occur.

SAFETY

Ensure good ventilation of the workplace and wear personal protective equipment. Avoid contact with eyes and skin. Do not inhale vapors or dusts. For full safety information, please refer to the relevant Hopsteiner® safety data sheet.

ANALYTICAL METHODS

International approved methods listed in committees such as ASBC or Analytica-EBC using current standards are applied.

PRODUCT ANALYTICS

Concentration of bitter substances

- Analytica-EBC 7.4 (LCV)
- Analytica-EBC 7.5 (LCV)
- ASBC Hops-6B (LCV)
- Analytica-EBC 7.7 (HPLC)
- ASBC Hops-14 (HPLC)
- ASBC Hops-6A (Spectro)

TECHNICAL SUPPORT

We are pleased to offer assistance and advice on:

- safety data sheets
- support for brewing trials on a pilot or commercial scale
- analytical services and information about analytical procedures

Disclaimer: The information provided in this document is believed to be correct and valid. However, Hopsteiner® does not guarantee that the information provided here is complete or accurate and thus assumes no liability for any consequences resulting from its application.

Last updated: 06.11.2023

Simon H. Steiner, Hopfen, GmbH
Mainburg, Germany
Email: info(at)hopsteiner.de
Phone: +49 (0) 8751 8605 0

S.S. Steiner Inc.
New York, USA
Email: sales(at)hopsteiner.com
Phone: +(1) 212 838 8900

Steiner Hops Ltd.
Guildford, England
Email: enquiries(at)hopsteiner.co.uk
Phone: +(44) 1992 572331

Hopsteiner Trading (Zhuhai) Co., Ltd.
Zhuhai, PRC
Email: info(at)hopsteiner.com.cn
Phone: +(86) 756 322 3340