


POLYPHENOL AROMA PELLETS

OVERVIEW

Polyphenol Aroma Pellets are a hop product made from leaf hops, added to the wort kettle during the boiling process. They are rich in a range of hop polyphenols.

Polyphenol Aroma Pellets can be added to provide additional polyphenols in situations where high levels of pure starch or sugar adjuncts are used. The addition of polyphenols helps to ensure that sufficient protein coagulation and precipitation occurs during the brewing process.

Polyphenol Aroma Pellets provide some hop aroma and minimal amounts of bitterness.



SPECIFICATIONS

Short description	de-bittered hop powder (from production of type 45 pellets) compressed into cylindrical pellets
Alpha acids	< 1.5 %
Hop oils	< 0.1 %
Moisture content	< 11 %
Polyphenols	> 4 %

PROPERTIES

APPEARANCE

Polyphenol Aroma Pellets are pale yellow-green pellets, approximately 8 mm x 10 - 25 mm in size (diameter x length).

FLAVOR

Polyphenol Aroma Pellets produce a minimal bitter flavor. The hard resins and polyphenols in the pellets have been shown to contribute to improved mouthfeel and overall beer flavor. Moreover, aroma compounds (e.g. linalool) can contribute to the hoppy character of beer.

UTILIZATION

Actual utilization will vary from brewery to brewery due to differences in equipment and process conditions.

QUALITY

All Hopsteiner® products are processed in facilities which fulfill internationally recognized quality standards. A monitoring system for residues is in place.

PACKAGING

Our products are delivered in their respective recommended standard packaging. Alternatives may be possible upon customer request.

Standard packages of our processing plants in the USA (US) and Germany (DE) are:

- softpack under inert gas in 5-layer aluminum composite foils (US / DE)

Suitable pack sizes are available on request.

USAGE

Polyphenol Aroma Pellets are used to supplement the polyphenols derived from malt and hops to ensure sufficient precipitation of proteins, thereby improving the colloidal stability of the finished beer.

DOSAGE

The quantity of Polyphenol Aroma Pellets to be added depends on the application and will vary according to the raw materials and other hop products used in the brewing process. They can be added at any time during the boil.

To establish what impact they will have on beer flavor, brewing trials are recommended as the quality and quantity of the compounds imparting the bitterness, aroma and flavor will vary among varieties.

APPLICATION

Polyphenol Aroma Pellets can be manually weighed out and added directly to the wort. Alternatively, owing to their free-flowing nature, additions of Polyphenol Aroma Pellets can be automated.

STORAGE

The recommended storage temperature in the original unopened packaging is $< 5\text{ }^{\circ}\text{C}$ (41 °F).

Short-term, transport-related temperature deviations do not affect product quality.

BEST BEFORE DATE

Under the recommended storage conditions, the shelf life from the date of production/ packaging is at least 5 years.

SAFETY

Ensure good ventilation of the workplace and wear personal protective equipment. Avoid contact with eyes and skin. Do not inhale vapors or dusts. For full safety information, please refer to the relevant Hopsteiner® safety data sheet.

ANALYTICAL METHODS

International approved methods listed in committees such as ASBC or Analytica-EBC using current standards are applied.

PRODUCT ANALYTICS

Polyphenols

- Analytica-EBC 7.14 (Spectro)

Low molecular weight polyphenols can be measured by HPLC using the relevant pure substances as external calibration standards.

Concentration of bitter substances

- Analytica-EBC 7.4 (LCV)
- Analytica-EBC 7.5 (LCV)
- ASBC Hops-6B (LCV)
- Analytica-EBC 7.7 (HPLC)

- ASBC Hops-14 (HPLC)
- ASBC Hops-6A (Spectro)

Concentration of hop oils

Due to the low amount of hop oil, the concentration cannot be measured using any of the methods currently available.

TECHNICAL SUPPORT

We are pleased to offer assistance and advice on:

- safety data sheets
- support for brewing trials on a pilot or commercial scale
- analytical services and information about analytical procedures

Disclaimer: The information provided in this document is believed to be correct and valid. However, Hopsteiner® does not guarantee that the information provided here is complete or accurate and thus assumes no liability for any consequences resulting from its application.

Last updated: 23.11.2023

Simon H. Steiner, Hopfen, GmbH
Mainburg, Germany
Email: [info\(at\)hopsteiner.de](mailto:info(at)hopsteiner.de)
Phone: +49 (0) 8751 8605 0

S.S. Steiner Inc.
New York, USA
Email: [sales\(at\)hopsteiner.com](mailto:sales(at)hopsteiner.com)
Phone: +(1) 212 838 8900

Steiner Hops Ltd.
Guildford, England
Email: [enquiries\(at\)hopsteiner.co.uk](mailto:enquiries(at)hopsteiner.co.uk)
Phone: +(44) 1992 572331

Hopsteiner Trading (Zhuhai) Co., Ltd.
Zhuhai, PRC
Email: [info\(at\)hopsteiner.com.cn](mailto:info(at)hopsteiner.com.cn)
Phone: +(86) 756 322 3340